

**SPECIFICATIONS**

**Upholstery Frame:** reinforced hardwood and plywood  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Table:** solid hardwood apron, laminate top.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Tablet:** high pressure laminate in light maple or amber cherry color and grain, self edged, 15" diameter on 360° offset rotation.

**Optional Tablet:** black, high pressure laminate with formed black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Tablet:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated)  
**Prefix TC:** Tablet with cup holder  
**Suffix M:** Table top and/or Tablet in light maple  
**Suffix C:** Table top and/or Tablet in amber cherry  
**Note:** Light maple laminate standard with #7 wood finish on table apron.  
 Amber cherry laminate standard with #5 wood finish on table apron.  
 Other standard finishes available with no upcharge, must be specified.  
**Floor plan must accompany order.**

**SPECIFY ON ORDER**


- **ITEM NUMBER**
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles. See important Covering Material and COM information on page 96.
- **OPTIONS**  
Multi-fabric applications are available. Custom matched wood finishes available for 10% upcharge of the COM price. Contact factory.

HAL

**LIST PRICES FOR TEXTILE GRADES**

**INSIDE DIMENSIONS**  
SEAT W-27" D-21"  
BACK W-27" H-17"

**OUTSIDE DIMENSIONS**




21/260

HAL  
ARMLESS SEAT MODULE

Yardage requirements are based on 54" wide, plain fabric.

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/260	985	1084	1073	1098	1113	1128	1143	1158	1173	1188	1203	1218	1233	1248	1263	1278	1293	1310	1335	1360	1385	1410	1480	1642	1804	2	36	60

**INSIDE DIMENSIONS**  
SEAT W-27" D-21"  
BACK W-27" H-17"




21/261

HAL  
RAF SEAT MODULE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/261	1155	1271	1275	1310	1330	1351	1372	1392	1413	1433	1454	1475	1495	1516	1537	1557	1578	1602	1636	1671	1705	1739	1821	2046	2271	2.75	50	70
T21/261C	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	80
T21/261M	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	80
TC21/261C	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	80
TC21/261M	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	80

**INSIDE DIMENSIONS**  
SEAT W-27" D-21"  
BACK W-27" H-17"




21/262

HAL  
LAF SEAT MODULE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/262	1155	1271	1275	1310	1330	1351	1372	1392	1413	1433	1454	1475	1495	1516	1537	1557	1578	1602	1636	1671	1705	1739	1821	2046	2271	2.75	50	70
T21/262C	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	80
T21/262M	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	80
TC21/262C	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	80
TC21/262M	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	80

**INSIDE DIMENSIONS**  
SEAT W-27" D-21"  
BACK W-27" H-17"




21/263

HAL  
ARM CHAIR

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/263	1325	1458	1467	1508	1532	1557	1581	1605	1630	1654	1678	1703	1727	1752	1776	1800	1825	1853	1894	1934	1975	2016	2107	2373	2638	3.25	59	80
T21/263C	1585	1744	1727	1768	1792	1817	1841	1865	1890	1914	1938	1963	1987	2012	2036	2060	2085	2113	2154	2194	2235	2276	2393	2659	2924	3.25	59	85
T21/263M	1585	1744	1727	1768	1792	1817	1841	1865	1890	1914	1938	1963	1987	2012	2036	2060	2085	2113	2154	2194	2235	2276	2393	2659	2924	3.25	59	85
TC21/263C	1600	1760	1742	1783	1807	1832	1856	1880	1905	1929	1953	1978	2002	2027	2051	2075	2100	2128	2169	2209	2250	2291	2409	2675	2940	3.25	59	85
TC21/263M	1600	1760	1742	1783	1807	1832	1856	1880	1905	1929	1953	1978	2002	2027	2051	2075	2100	2128	2169	2209	2250	2291	2409	2675	2940	3.25	59	85

**INSIDE DIMENSIONS**  
SEAT W-F-19" D-21"  
BACK W-27" H-17"



21/264

HAL  
ARMLESS SEAT MODULE 22.5° INSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/264	985	1084	1083	1112	1128	1145	1162	1179	1196	1213	1230	1247	1263	1280	1297	1314	1331	1351	1379	1407	1435	1463	1535	1720	1904	2.25	41	60

# LOUNGE SEATING

## HAL

### SPECIFY ON ORDER

- **ITEM NUMBER**
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- **OPTIONS**  
Multi-fabric applications are available.  
Custom matched wood finishes available for 10% upcharge of the COM price.  
Contact factory.


### SPECIFICATIONS

**Upholstery Frame:** reinforced hardwood and plywood  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Table:** solid hardwood apron, laminate top.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Table:** high pressure laminate in light maple or amber cherry color and grain, self edged, 15" diameter on 360° offset rotation.  
**Optional Table:** black, high pressure laminate with formed

black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Table:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified.  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated)  
**Prefix TC:** Tablet with cup holder  
**Suffix M:** Table top and/or Tablet in light maple  
**Suffix C:** Table top and/or Tablet in amber cherry  
**Note:** Light maple laminate standard with #7 wood finish on table apron.  
 Amber cherry laminate standard with #5 wood finish on table apron.  
 Other standard finishes available with no upcharge, must be specified.  
**Floor plan must accompany order.**

## 21/265

HAL  
 RAF SEAT  
 MODULE 22.5°  
 INSIDE WEDGE



### LIST PRICES FOR TEXTILE GRADES


**INSIDE DIMENSIONS**  
 SEAT W-F-19" D-21"  
 BACK W-27" H-17"

Yardage requirements are based on 54" wide, plain fabric.

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/265	1155	1271	1275	1310	1330	1351	1372	1392	1413	1433	1454	1475	1495	1516	1537	1557	1578	1602	1636	1671	1705	1739	1821	2046	2271	2.75	50	70
T21/265C	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	75
T21/265M	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	75
TC21/265C	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	75
TC21/265M	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	75

## 21/266

HAL  
 LAF SEAT  
 MODULE 22.5°  
 INSIDE WEDGE




**INSIDE DIMENSIONS**  
 SEAT W-F-19" D-21"  
 BACK W-27" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/266	1155	1271	1275	1310	1330	1351	1372	1392	1413	1433	1454	1475	1495	1516	1537	1557	1578	1602	1636	1671	1705	1739	1821	2046	2271	2.75	50	70
T21/266C	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	75
T21/266M	1415	1557	1535	1570	1590	1611	1632	1652	1673	1693	1714	1735	1755	1776	1797	1817	1838	1862	1896	1931	1965	1999	2107	2332	2557	2.75	50	75
TC21/266C	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	75
TC21/266M	1430	1573	1550	1585	1605	1626	1647	1667	1688	1708	1729	1750	1770	1791	1812	1832	1853	1877	1911	1946	1980	2014	2123	2348	2573	2.75	50	75

## 21/267

HAL  
 ARMLESS SEAT  
 MODULE 22.5°  
 OUTSIDE WEDGE




**INSIDE DIMENSIONS**  
 SEAT W-F-30" D-21"  
 BACK W-22" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/267	985	1084	1073	1098	1113	1128	1143	1158	1173	1188	1203	1218	1233	1248	1263	1278	1293	1310	1335	1360	1385	1410	1480	1642	1804	2	36	60

## 21/268

HAL  
 RAF SEAT  
 MODULE 22.5°  
 OUTSIDE WEDGE




**INSIDE DIMENSIONS**  
 SEAT W-F-30" D-21"  
 BACK W-22" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/268	1155	1271	1264	1296	1314	1333	1352	1371	1389	1408	1427	1446	1464	1483	1502	1521	1539	1561	1593	1624	1655	1686	1766	1969	2171	2.5	45	65
T21/268C	1415	1557	1524	1556	1574	1593	1612	1631	1649	1668	1687	1706	1724	1743	1762	1781	1799	1821	1853	1884	1915	1946	2052	2255	2457	2.5	45	75
T21/268M	1415	1557	1524	1556	1574	1593	1612	1631	1649	1668	1687	1706	1724	1743	1762	1781	1799	1821	1853	1884	1915	1946	2052	2255	2457	2.5	45	75
TC21/268C	1430	1573	1539	1571	1589	1608	1627	1646	1664	1683	1702	1721	1739	1758	1777	1796	1814	1836	1868	1899	1930	1961	2068	2271	2473	2.5	45	75
TC21/268M	1430	1573	1539	1571	1589	1608	1627	1646	1664	1683	1702	1721	1739	1758	1777	1796	1814	1836	1868	1899	1930	1961	2068	2271	2473	2.5	45	75

## 21/269

HAL  
 LAF SEAT  
 MODULE 22.5°  
 OUTSIDE WEDGE



**INSIDE DIMENSIONS**  
 SEAT W-F-30" D-21"  
 BACK W-22" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/269	1155	1271	1264	1296	1314	1333	1352	1371	1389	1408	1427	1446	1464	1483	1502	1521	1539	1561	1593	1624	1655	1686	1766	1969	2171	2.5	45	65
T21/269C	1415	1557	1524	1556	1574	1593	1612	1631	1649	1668	1687	1706	1724	1743	1762	1781	1799	1821	1853	1884	1915	1946	2052	2255	2457	2.5	45	75
T21/269M	1415	1557	1524	1556	1574	1593	1612	1631	1649	1668	1687	1706	1724	1743	1762	1781	1799	1821	1853	1884	1915	1946	2052	2255	2457	2.5	45	75
TC21/269C	1430	1573	1539	1571	1589	1608	1627	1646	1664	1683	1702	1721	1739	1758	1777	1796	1814	1836	1868	1899	1930	1961	2068	2271	2473	2.5	45	75
TC21/269M	1430	1573	1539	1571	1589	1608	1627	1646	1664	1683	1702	1721	1739	1758	1777	1796	1814	1836	1868	1899	1930	1961	2068	2271	2473	2.5	45	75

HAL

**SPECIFICATIONS**

**Upholstery Frame:** reinforced hardwood and plywood  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Table:** solid hardwood apron, laminate top.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Tablet:** high pressure laminate in light maple or amber cherry color and grain, self edged, 15" diameter on 360° offset rotation.

**Optional Tablet:** black, high pressure laminate with formed black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Tablet:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated)  
**Prefix TC:** Tablet with cup holder  
**Suffix M:** Table top and/or Tablet in light maple  
**Suffix C:** Table top and/or Tablet in amber cherry  
**Note:** Light maple laminate standard with #7 wood finish on table apron.  
 Amber cherry laminate standard with #5 wood finish on table apron.  
 Other standard finishes available with no upcharge, must be specified.  
**Floor plan must accompany order.**

**SPECIFY ON ORDER**


• **ITEM NUMBER**  
 • **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
 See page 97 for Cartwright Textiles.  
 See important Covering Material and COM information on page 96.  
 • **OPTIONS**  
 Multi-fabric applications are available.  
 Custom matched wood finishes available for 10% upcharge of the COM price.  
 Contact factory.

LIST PRICES FOR TEXTILE GRADES

OUTSIDE DIMENSIONS

Yardage requirements are based on 54" wide, plain fabric.


ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/270	770	847	847	868	882	895	908	921	934	947	960	973	987	1000	1013	1026	1039	1054	1076	1098	1120	1142	1199	1343	1487	1.75	32	50



21/270

HAL  
OTTOMAN


ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/271	770	847	847	868	882	895	908	921	934	947	960	973	987	1000	1013	1026	1039	1054	1076	1098	1120	1142	1199	1343	1487	1.75	32	50



21/271

HAL  
OTTOMAN  
22.5° INSIDE WEDGE


ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/272	770	847	847	868	882	895	908	921	934	947	960	973	987	1000	1013	1026	1039	1054	1076	1098	1120	1142	1199	1343	1487	1.75	32	50



21/272

HAL  
OTTOMAN  
22.5° OUTSIDE WEDGE


ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT	
21/273C	860																												70
21/273M	860																												70



21/273

HAL  
TABLE


ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT	
21/274C	895																												65
21/274M	895																												65



21/274

HAL  
TABLE  
22.5° INSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT	
21/275C	895																												65
21/275M	895																												65



21/275

HAL  
TABLE  
22.5° OUTSIDE WEDGE

# LOUNGE SEATING

## LINNY

### SPECIFY ON ORDER

- ITEM NUMBER**
- UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- OPTIONS**  
Multi-fabric applications are available.  
Contact factory.


### SPECIFICATIONS

**Upholstery Frame:** reinforced hardwood and plywood.  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1 1/2" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Tablet:** high pressure laminate in light maple or amber cherry color and grain, self-edged, 15" diameter on 360° offset rotation.

**Optional Tablet:** black, high pressure laminate with formed black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Tablet:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified.  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated).  
**Prefix TC:** Tablet with cup holder.  
**Suffix M:** Table top and/or Tablet in light maple.  
**Suffix C:** Table top and/or Tablet in amber cherry.  
**Floor plan must accompany order.**

## 21/315

LINNY  
ARMLESS  
SEAT MODULE



### LIST PRICES FOR TEXTILE GRADES


**INSIDE DIMENSIONS**  
SEAT W-30" D-21"  
BACK W-30" H-15"

*Yardage requirements are based on 54" wide, plain fabric.*

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/315	1040	1144	1149	1181	1199	1218	1237	1256	1274	1293	1312	1331	1349	1368	1387	1406	1424	1446	1478	1509	1540	1571	1639	1842	2044	2.5	45	70

## 21/316

LINNY  
RAF  
SEAT MODULE




**INSIDE DIMENSIONS**  
SEAT W-30" D-21"  
BACK W-30" H-15"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/316	1215	1337	1357	1398	1422	1447	1471	1495	1520	1544	1568	1593	1617	1642	1666	1690	1715	1743	1784	1824	1865	1906	1986	2252	2517	3.25	59	75
T21/316C	1475	1623	1617	1658	1682	1707	1731	1755	1780	1804	1828	1853	1877	1902	1926	1950	1975	2003	2044	2084	2125	2166	2272	2538	2803	3.25	59	85
T21/316M	1475	1623	1617	1658	1682	1707	1731	1755	1780	1804	1828	1853	1877	1902	1926	1950	1975	2003	2044	2084	2125	2166	2272	2538	2803	3.25	59	85
TC21/316C	1490	1639	1632	1673	1697	1722	1746	1770	1795	1819	1843	1868	1892	1917	1941	1965	1990	2018	2059	2099	2140	2181	2288	2554	2819	3.25	59	85
TC21/316M	1490	1639	1632	1673	1697	1722	1746	1770	1795	1819	1843	1868	1892	1917	1941	1965	1990	2018	2059	2099	2140	2181	2288	2554	2819	3.25	59	85

## 21/317

LINNY  
LAF  
SEAT MODULE




**INSIDE DIMENSIONS**  
SEAT W-30" D-21"  
BACK W-30" H-15"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/317	1215	1337	1357	1398	1422	1447	1471	1495	1520	1544	1568	1593	1617	1642	1666	1690	1715	1743	1784	1824	1865	1906	1986	2252	2517	3.25	59	75
T21/317C	1475	1623	1617	1658	1682	1707	1731	1755	1780	1804	1828	1853	1877	1902	1926	1950	1975	2003	2044	2084	2125	2166	2272	2538	2803	3.25	59	85
T21/317M	1475	1623	1617	1658	1682	1707	1731	1755	1780	1804	1828	1853	1877	1902	1926	1950	1975	2003	2044	2084	2125	2166	2272	2538	2803	3.25	59	85
TC21/317C	1490	1639	1632	1673	1697	1722	1746	1770	1795	1819	1843	1868	1892	1917	1941	1965	1990	2018	2059	2099	2140	2181	2288	2554	2819	3.25	59	85
TC21/317M	1490	1639	1632	1673	1697	1722	1746	1770	1795	1819	1843	1868	1892	1917	1941	1965	1990	2018	2059	2099	2140	2181	2288	2554	2819	3.25	59	85

## 21/318

LINNY  
ARM CHAIR




**INSIDE DIMENSIONS**  
SEAT W-30" D-21"  
BACK W-30" H-15"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/318	1390	1529	1576	1629	1661	1693	1725	1757	1788	1820	1852	1884	1916	1948	1980	2012	2043	2081	2134	2187	2240	2293	2376	2723	3069	4.25	77	85
T21/318C	1650	1815	1836	1889	1921	1953	1985	2017	2048	2080	2112	2144	2176	2208	2240	2272	2303	2341	2394	2447	2500	2553	2662	3009	3355	4.25	77	95
T21/318M	1650	1815	1836	1889	1921	1953	1985	2017	2048	2080	2112	2144	2176	2208	2240	2272	2303	2341	2394	2447	2500	2553	2662	3009	3355	4.25	77	95
TC21/318C	1665	1832	1851	1904	1936	1968	2000	2032	2063	2095	2127	2159	2191	2223	2255	2287	2318	2356	2409	2462	2515	2568	2679	3026	3372	4.25	77	95
TC21/318M	1665	1832	1851	1904	1936	1968	2000	2032	2063	2095	2127	2159	2191	2223	2255	2287	2318	2356	2409	2462	2515	2568	2679	3026	3372	4.25	77	95

## 21/319

LINNY  
ARMLESS  
SEAT MODULE  
30° INSIDE WEDGE



**INSIDE DIMENSIONS**  
SEAT W-F-18" D-21"  
BACK W-29" H-15"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/319	1030	1133	1128	1157	1173	1190	1207	1224	1241	1258	1275	1292	1308	1325	1342	1359	1376	1396	1424	1452	1480	1508	1584	1769	1953	2.25	41	65

**SPECIFICATIONS**

**Upholstery Frame:** reinforced hardwood and plywood.  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1 1/2" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Tablet:** high pressure laminate in light maple or amber cherry color and grain, self-edged, 15" diameter on 360° offset rotation.


**Optional Tablet:** black, high pressure laminate with formed black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Tablet:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified.  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated).  
**Prefix TC:** Tablet with cup holder.  
**Suffix M:** Table top and/or Tablet in light maple.  
**Suffix C:** Table top and/or Tablet in amber cherry.  
**Floor plan must accompany order.**

**SPECIFY ON ORDER**

- **ITEM NUMBER**
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- **OPTIONS**  
Multi-fabric applications are available.  
Contact factory.

**LIST PRICES FOR TEXTILE GRADES**

**INSIDE DIMENSIONS**  
SEAT W-F-18" D-21"  
BACK W-29" H-15"



**21/320**


LINNY

RAF SEAT  
MODULE 30°  
INSIDE WEDGE

Yardage requirements are based on 54" wide, plain fabric.

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/320</b>	1205	1326	1347	1388	1412	1437	1461	1485	1510	1534	1558	1583	1607	1632	1656	1680	1705	1733	1774	1814	1855	1896	1975	2241	2506	3.25	59	75
<b>T21/320C</b>	1465	1612	1607	1648	1672	1697	1721	1745	1770	1794	1818	1843	1867	1892	1916	1940	1965	1993	2034	2074	2115	2156	2261	2527	2792	3.25	59	85
<b>T21/320M</b>	1465	1612	1607	1648	1672	1697	1721	1745	1770	1794	1818	1843	1867	1892	1916	1940	1965	1993	2034	2074	2115	2156	2261	2527	2792	3.25	59	85
<b>TC21/320C</b>	1480	1628	1622	1663	1687	1712	1736	1760	1785	1809	1833	1858	1882	1907	1931	1955	1980	2008	2049	2089	2130	2171	2277	2543	2808	3.25	59	85
<b>TC21/320M</b>	1480	1628	1622	1663	1687	1712	1736	1760	1785	1809	1833	1858	1882	1907	1931	1955	1980	2008	2049	2089	2130	2171	2277	2543	2808	3.25	59	85

**INSIDE DIMENSIONS**  
SEAT W-F-18" D-21"  
BACK W-29" H-15"




**21/321**

LINNY

LAF SEAT  
MODULE 30°  
INSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/321</b>	1205	1326	1347	1388	1412	1437	1461	1485	1510	1534	1558	1583	1607	1632	1656	1680	1705	1733	1774	1814	1855	1896	1975	2241	2506	3.25	59	75
<b>T21/321C</b>	1465	1612	1607	1648	1672	1697	1721	1745	1770	1794	1818	1843	1867	1892	1916	1940	1965	1993	2034	2074	2115	2156	2261	2527	2792	3.25	59	85
<b>T21/321M</b>	1465	1612	1607	1648	1672	1697	1721	1745	1770	1794	1818	1843	1867	1892	1916	1940	1965	1993	2034	2074	2115	2156	2261	2527	2792	3.25	59	85
<b>TC21/321C</b>	1480	1628	1622	1663	1687	1712	1736	1760	1785	1809	1833	1858	1882	1907	1931	1955	1980	2008	2049	2089	2130	2171	2277	2543	2808	3.25	59	85
<b>TC21/321M</b>	1480	1628	1622	1663	1687	1712	1736	1760	1785	1809	1833	1858	1882	1907	1931	1955	1980	2008	2049	2089	2130	2171	2277	2543	2808	3.25	59	85

**INSIDE DIMENSIONS**  
SEAT W-F-33" D-21"  
BACK W-22" H-15"




**21/322**

LINNY

ARMLESS SEAT  
MODULE 30°  
OUTSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/322</b>	1005	1106	1082	1103	1117	1130	1143	1156	1169	1182	1195	1208	1222	1235	1248	1261	1274	1289	1311	1333	1355	1377	1458	1602	1746	1.75	32	60

**INSIDE DIMENSIONS**  
SEAT W-F-33" D-21"  
BACK W-22" H-15"




**21/323**

LINNY

RAF SEAT  
MODULE 30°  
OUTSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/323</b>	1180	1298	1300	1335	1355	1376	1397	1417	1438	1458	1479	1500	1520	1541	1562	1582	1603	1627	1661	1696	1730	1764	1848	2073	2298	2.75	50	70
<b>T21/323C</b>	1440	1584	1560	1595	1615	1636	1657	1677	1698	1718	1739	1760	1780	1801	1822	1842	1863	1887	1921	1956	1990	2024	2134	2359	2584	2.75	50	80
<b>T21/323M</b>	1440	1584	1560	1595	1615	1636	1657	1677	1698	1718	1739	1760	1780	1801	1822	1842	1863	1887	1921	1956	1990	2024	2134	2359	2584	2.75	50	80
<b>TC21/323C</b>	1455	1601	1575	1610	1630	1651	1672	1692	1713	1733	1754	1775	1795	1816	1837	1857	1878	1902	1936	1971	2005	2039	2151	2376	2601	2.75	50	80
<b>TC21/323M</b>	1455	1601	1575	1610	1630	1651	1672	1692	1713	1733	1754	1775	1795	1816	1837	1857	1878	1902	1936	1971	2005	2039	2151	2376	2601	2.75	50	80

**INSIDE DIMENSIONS**  
SEAT W-F-33" D-21"  
BACK W-22" H-15"



**21/324**

LINNY

LAF SEAT  
MODULE 30°  
OUTSIDE WEDGE

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/324</b>	1180	1298	1300	1335	1355	1376	1397	1417	1438	1458	1479	1500	1520	1541	1562	1582	1603	1627	1661	1696	1730	1764	1848	2073	2298	2.75	50	70
<b>T21/324C</b>	1440	1584	1560	1595	1615	1636	1657	1677	1698	1718	1739	1760	1780	1801	1822	1842	1863	1887	1921	1956	1990	2024	2134	2359	2584	2.75	50	80
<b>T21/324M</b>	1440	1584	1560	1595	1615	1636	1657	1677	1698	1718	1739	1760	1780	1801	1822	1842	1863	1887	1921	1956	1990	2024	2134	2359	2584	2.75	50	80
<b>TC21/324C</b>	1455	1601	1575	1610	1630	1651	1672	1692	1713	1733	1754	1775	1795	1816	1837	1857	1878	1902	1936	1971	2005	2039	2151	2376	2601	2.75	50	80
<b>TC21/324M</b>	1455	1601	1575	1610	1630	1651	1672	1692	1713	1733	1754	1775	1795	1816	1837	1857	1878	1902	1936	1971	2005	2039	2151	2376	2601	2.75	50	80

# LOUNGE SEATING

## LINNY

### SPECIFY ON ORDER

- **ITEM NUMBER**
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- **OPTIONS**  
Multi-fabric applications are available.  
Contact factory.


### SPECIFICATIONS

**Upholstery Frame:** reinforced hardwood and plywood.  
**Seat:** tight seat of high density polydacron over resilient webbing.  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Upholstered Arms:** polyurethane over polypropylene sheet webbing.  
**Base:** 16 gauge, 1 1/2" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.  
**Standard Table Top:** high pressure laminate in light maple or amber cherry color and grain.  
**Standard Tablet:** high pressure laminate in light maple or amber cherry color and grain, self-edged, 15" diameter on 360° offset rotation.

**Optional Tablet:** black, high pressure laminate with formed black plastic edge, 15" diameter on 360° offset rotation. No upcharge. Must be specified.  
**Optional Rectangular Tablet:** 18" x 11.5" black, high pressure laminate with formed black plastic edge. Offset rotation. No upcharge. Must be specified  
**Cup Holder:** black, formed plastic. Tablet arm required with cup holder.  
**Prefix T:** Tablet (standard on right arm seated).  
**Prefix TC:** Tablet with cup holder.  
**Suffix M:** Table top and/or Tablet in light maple.  
**Suffix C:** Table top and/or Tablet in amber cherry.  
**Floor plan must accompany order.**

## 21/325

LINNY  
OTTOMAN




### LIST PRICES FOR TEXTILE GRADES

*Yardage requirements are based on 54" wide, plain fabric.*

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/325	805	886	893	918	933	948	963	978	993	1008	1023	1038	1053	1068	1083	1098	1113	1130	1155	1180	1205	1230	1282	1444	1606	2	36	60

## 21/326


LINNY  
OTTOMAN 30°  
INSIDE WEDGE



ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/326	805	886	893	918	933	948	963	978	993	1008	1023	1038	1053	1068	1083	1098	1113	1130	1155	1180	1205	1230	1282	1444	1606	2	36	55

## 21/327


LINNY  
OTTOMAN 30°  
OUTSIDE WEDGE



ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
21/327	805	886	893	918	933	948	963	978	993	1008	1023	1038	1053	1068	1083	1098	1113	1130	1155	1180	1205	1230	1282	1444	1606	2	36	55

## 21/328


LINNY  
TABLE



ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT	
21/328C	570																												60
21/328M	570																												60

## 21/329

LINNY  
TABLE  
30° WEDGE



ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT	
21/329C	655																												50
21/329M	655																												50

**SPECIFICATIONS**

**Upholstery Frame:** reinforced hardwood and plywood.  
**Seat:** tight seat of high density polydacron over resilient webbing  
**Back:** tight back of polydacron over resilient sheet webbing.  
**Arms:** polyurethane over polypropylene sheet webbing.  
**Exposed Legs:** aluminum with white plastic glide. Matte finish.

**SPECIFY ON ORDER**

- **ITEM NUMBER**
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- **OPTIONS**  
Multi-fabric applications are available.  
Contact factory.


**BJ**

**LIST PRICES FOR TEXTILE GRADES**

**OUTSIDE DIMENSIONS**

**21/330**

**INSIDE DIMENSIONS**  
SEAT W-24" D-22"  
BACK W-24" H-14"




**BJ**  
**ARM CHAIR**

*Yardage requirements are based on 54" wide, plain fabric.*

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/330</b>	1175	1293	1372	1428	1462	1496	1529	1563	1597	1631	1664	1698	1732	1766	1799	1833	1867	1906	1963	2019	2075	2131	2184	2549	2913	4.5	81	115

**21/331-63**

**INSIDE DIMENSIONS**  
SEAT W-48" D-22"  
BACK W-48" H-14"




**BJ**  
**SETTEE**

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/331-63</b>	1825	2008	2109	2191	2239	2288	2337	2386	2434	2483	2532	2581	2629	2678	2727	2776	2824	2881	2963	3044	3125	3206	3295	3822	4348	6.5	117	170

**21/331-87**

**INSIDE DIMENSIONS**  
SEAT W-72" D-22"  
BACK W-72" H-14"



**BJ**  
**SOFA**

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
<b>21/331-87</b>	2475	2723	2825	2925	2985	3045	3105	3165	3225	3285	3345	3405	3465	3525	3585	3645	3705	3775	3875	3975	4075	4175	4307	4955	5603	8	144	225

# LOUNGE SEATING

## KRIS

### SPECIFY ON ORDER

- **ITEM NUMBER**
- **BASE FINISH NUMBER**  
Refer to specifications on this page.  
See page 5 for standard finishes.
- **UPHOLSTERY NAME, COLOR NAME & NUMBER**  
See page 97 for Cartwright Textiles.  
See important Covering Material and COM information on page 96.
- **OPTIONS**  
Contrasting welt and multi-fabric applications are available.  
Custom matched wood finishes available for 10% upcharge of the COM price. Contact factory.

### SPECIFICATIONS:

**Upholstery Frame:** reinforced hardwood and plywood.  
**Seat 21/335-21/336-82** loose cushion of multi-density polyurethane.  
**Deck:** multi-density polyurethane over resilient webbing.  
**Seat 21/337-21/338-82** tight seat of multi-density polyurethane over resilient webbing.  
**Back:** tight back of multi-density polyurethane over resilient sheet webbing.

**Arms:** polyurethane over polypropylene sheet webbing.


**Wood Base:** solid hardwood. Standard finishes offered: 2, 3, 4, 5, 7, 16, 18, 19, 20, 22 & 31. Must be specified.

**Steel Base:** 16 gauge, 1 1/2" diameter round legs and 1 1/2" x 1/2" flat tubular steel rails, silver powder coat finish with black plastic glides.

**Prefix S** indicates steel base  
**Prefix W** indicates wood base

## 21/335

KRIS  
ARM CHAIR  
LOOSE CUSHION



### LIST PRICES FOR TEXTILE GRADES


**INSIDE DIMENSIONS**  
SEAT W-24" D-22"  
BACK W-29" H-17"

*Yardage requirements are based on 54" wide, plain fabric.*

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/335	1345	1480	1542	1598	1632	1666	1699	1733	1767	1801	1834	1868	1902	1936	1969	2003	2037	2076	2133	2189	2245	2301	2371	2736	3100	4.5	81	90
S21/335	1400	1540	1597	1653	1687	1721	1754	1788	1822	1856	1889	1923	1957	1991	2024	2058	2092	2131	2188	2244	2300	2356	2431	2796	3160	4.5	81	90

## 21/336-58

KRIS  
SETTEE  
LOOSE CUSHION




**INSIDE DIMENSIONS**  
SEAT W-48" D-22"  
BACK W-53" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/336-58	1815	1997	2088	2167	2213	2260	2307	2354	2401	2448	2495	2542	2588	2635	2682	2729	2776	2831	2909	2987	3065	3143	3240	3749	4257	6.25	113	120
S21/336-58	2025	2228	2298	2377	2423	2470	2517	2564	2611	2658	2705	2752	2798	2845	2892	2939	2986	3041	3119	3197	3275	3353	3471	3980	4488	6.25	113	120

## 21/336-82

KRIS  
SOFA  
LOOSE CUSHION




**INSIDE DIMENSIONS**  
SEAT W-72" D-22"  
BACK W-77" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/336-82	2225	2448	2575	2675	2735	2795	2855	2915	2975	3035	3095	3155	3215	3275	3335	3395	3455	3525	3625	3725	3825	3925	4032	4680	5328	8	144	155
S21/336-82	2410	2651	2760	2860	2920	2980	3040	3100	3160	3220	3280	3340	3400	3460	3520	3580	3640	3710	3810	3910	4010	4110	4235	4883	5531	8	144	155

## 21/337

KRIS  
ARM CHAIR  
TIGHT SEAT




**INSIDE DIMENSIONS**  
SEAT W-24" D-22"  
BACK W-29" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/337	1335	1469	1521	1574	1606	1638	1670	1702	1733	1765	1797	1829	1861	1893	1925	1957	1988	2026	2079	2132	2185	2238	2316	2663	3009	4.25	77	90
S21/337	1390	1529	1576	1629	1661	1693	1725	1757	1788	1820	1852	1884	1916	1948	1980	2012	2043	2081	2134	2187	2240	2293	2376	2723	3069	4.25	77	90

## 21/338-58

KRIS  
SETTEE  
TIGHT SEAT




**INSIDE DIMENSIONS**  
SEAT W-48" D-22"  
BACK W-53" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/338-58	1765	1942	2006	2074	2116	2157	2198	2239	2281	2322	2363	2404	2446	2487	2528	2569	2611	2659	2728	2796	2865	2934	3031	3477	3922	5.5	99	120
S21/338-58	1975	2173	2216	2284	2326	2367	2408	2449	2491	2532	2573	2614	2656	2697	2738	2779	2821	2869	2938	3006	3075	3144	3262	3708	4153	5.5	99	120

## 21/338-82

KRIS  
SOFA  
TIGHT SEAT



**INSIDE DIMENSIONS**  
SEAT W-72" D-22"  
BACK W-77" H-17"

ITEM NUMBER	COM	COL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	L1	L2	L3	YDS	SQ FT	WT
W21/338-82	2160	2376	2466	2554	2606	2659	2711	2764	2816	2869	2921	2974	3026	3079	3131	3184	3236	3298	3385	3473	3560	3648	3762	4329	4896	7	126	155
S21/338-82	2345	2580	2651	2739	2791	2844	2896	2949	3001	3054	3106	3159	3211	3264	3316	3369	3421	3483	3570	3658	3745	3833	3966	4533	5100	7	126	155